



國立臺灣海洋大學一〇〇學年度研究所碩士班暨碩士在職專班入學考試試題

考試科目：統計學

系所名稱：運輸科學系碩士班運輸物流領域

※可使用計算器

1.答案以橫式由左至右書寫。2.請依題號順序作答。

***** 若無計算過程，一律以零分計 *****

(請四捨五入至小數點第3位；未特別說明者，皆以5%的顯著水準計算)

- 1. (25%) A manufacturer has recorded its cost of electricity (Y) and the total number of hours of machine time (X) for the past 52 weeks. The following results are obtained by transforming the original data.

x̄ = 10.865; ȳ = 104.195; Σxi² = 6,501.000; Σyi² = 598,732.169;

Σxiyi = 61,464.311; Σ(xi - x̄)(yi - ȳ) = 2,594.288;

Σ(xi - x̄)² = 362.058; Σ(yi - ȳ)² = 34,191.989

- (1). Complete the following tables.
(2). Estimate the fixed and variable electricity costs and explain the results.
(3). Determine and interpret the coefficient of correlation.

Coefficients

Table with 5 columns: Predictor, Coefficients, Std. Error, t-ratio, p. Rows include (Constant) and Machine time.

ANOVA (Analysis of Variance)

ANOVA table with 6 columns: Predictor, Sum of Squares (SS), d.f., Mean Square (MS), F-Statistic, p. Rows include Regression, Residual, and Total.

- 2. (20%) The 2010 Taipei International Flora Exposition is held in Taipei. According to the record, only 15% of the visitors have the chance to visit the pavilion of Dreams.

- (1). Randomly select 10 visitors who have been to the Flora Expo, what is the probability that at least 2 of them have visited the pavilion of Dreams?

- (2). Randomly select 100 visitors who have been to the Flora Expo, what is the probability that at least 20 of them have visited the pavilion of Dreams?
3. (15%) The following table describes the motorcycle helmet usage versus severity types for motorcyclists involved in traffic accidents in a city. At the 0.05 level of significance, can we infer that helmet usage affects the injury severity? Explain the meaning of the result.


Helmet Usage	Fatal	Injured	Not injured	Total
Yes	86	11,767	1,313	13,166
No	24	394	36	453
Total	110	12,160	1,349	13,619

4. (40%) Safety researchers, interested in analyzing the effect of vehicle model on travel speed, have observed the following speed (km/hr) measurements for three types of vehicles on Sun Yat-sen Freeway.

Vehicle Type	Observed Travel Speed (km/hr)					
Cars	121	102	97	112	106	95
Minivans	96	105	89	98	112	97
SUVs	113	109	96	108	125	98


- (1). What are the null and alternative hypotheses for this test?
- (2). Construct an ANOVA table and test the null hypothesis at the 0.05 level of significance.
- (3). What are the required conditions (assumptions) for the test conducted in Part (2)?
- (4). Do these data show a significant difference in the mean travel speed for these three types of vehicles? Explain the meaning of the results.
- (5). Given that the speed limit on Sun Yat-sen Freeway is 100 (km/hr), do these data allow us to infer at the 5% significance level that the mean travel speed exceeds the speed limit? Explain the meaning of the results.
- (6). Estimate the population proportion of speeding (exceeding the speed limit) vehicles with 95% confidence.

TABLE 3 (Continued)




Z	$P(Z > z)$									
	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
0.0	0.5000	0.5040	0.5080	0.5120	0.5160	0.5199	0.5239	0.5279	0.5319	0.5359
0.1	0.5398	0.5438	0.5478	0.5517	0.5557	0.5596	0.5636	0.5675	0.5714	0.5753
0.2	0.5793	0.5832	0.5871	0.5910	0.5948	0.5987	0.6026	0.6064	0.6103	0.6141
0.3	0.6179	0.6217	0.6255	0.6293	0.6331	0.6368	0.6406	0.6443	0.6480	0.6517
0.4	0.6554	0.6591	0.6628	0.6664	0.6700	0.6736	0.6772	0.6808	0.6844	0.6879
0.5	0.6915	0.6950	0.6985	0.7019	0.7054	0.7088	0.7123	0.7157	0.7190	0.7224
0.6	0.7257	0.7291	0.7324	0.7357	0.7389	0.7422	0.7454	0.7486	0.7517	0.7549
0.7	0.7580	0.7611	0.7642	0.7673	0.7704	0.7734	0.7764	0.7794	0.7823	0.7852
0.8	0.7881	0.7910	0.7939	0.7967	0.7995	0.8023	0.8051	0.8078	0.8106	0.8133
0.9	0.8159	0.8186	0.8212	0.8238	0.8264	0.8289	0.8315	0.8340	0.8365	0.8389
1.0	0.8413	0.8438	0.8461	0.8485	0.8508	0.8531	0.8554	0.8577	0.8599	0.8621
1.1	0.8643	0.8665	0.8686	0.8708	0.8729	0.8749	0.8770	0.8790	0.8810	0.8830
1.2	0.8849	0.8869	0.8888	0.8907	0.8925	0.8944	0.8962	0.8980	0.8997	0.9015
1.3	0.9032	0.9049	0.9066	0.9082	0.9099	0.9115	0.9131	0.9147	0.9162	0.9177
1.4	0.9192	0.9207	0.9222	0.9236	0.9251	0.9265	0.9279	0.9292	0.9306	0.9319
1.5	0.9332	0.9345	0.9357	0.9370	0.9382	0.9394	0.9406	0.9418	0.9429	0.9441
1.6	0.9452	0.9463	0.9474	0.9484	0.9495	0.9505	0.9515	0.9525	0.9535	0.9545
1.7	0.9554	0.9564	0.9573	0.9582	0.9591	0.9599	0.9608	0.9616	0.9625	0.9633
1.8	0.9641	0.9649	0.9656	0.9664	0.9671	0.9678	0.9686	0.9693	0.9699	0.9706
1.9	0.9713	0.9719	0.9726	0.9732	0.9738	0.9744	0.9750	0.9756	0.9761	0.9767
2.0	0.9772	0.9778	0.9783	0.9788	0.9793	0.9798	0.9803	0.9808	0.9812	0.9817
2.1	0.9821	0.9826	0.9830	0.9834	0.9838	0.9842	0.9846	0.9850	0.9854	0.9857
2.2	0.9861	0.9864	0.9868	0.9871	0.9875	0.9878	0.9881	0.9884	0.9887	0.9890
2.3	0.9893	0.9896	0.9898	0.9901	0.9904	0.9906	0.9909	0.9911	0.9913	0.9916
2.4	0.9918	0.9920	0.9922	0.9925	0.9927	0.9929	0.9931	0.9932	0.9934	0.9936
2.5	0.9938	0.9940	0.9941	0.9943	0.9945	0.9946	0.9948	0.9949	0.9951	0.9952
2.6	0.9953	0.9955	0.9956	0.9957	0.9959	0.9960	0.9961	0.9962	0.9963	0.9964
2.7	0.9965	0.9966	0.9967	0.9968	0.9969	0.9970	0.9971	0.9972	0.9973	0.9974
2.8	0.9974	0.9975	0.9976	0.9977	0.9977	0.9978	0.9979	0.9979	0.9980	0.9981
2.9	0.9981	0.9982	0.9982	0.9983	0.9984	0.9984	0.9985	0.9985	0.9986	0.9986
3.0	0.9987	0.9987	0.9987	0.9988	0.9988	0.9989	0.9989	0.9989	0.9990	0.9990

TABLE 4
Critical Values of the
Student *t* Distribution



Degrees of Freedom	t_{100}	t_{050}	t_{025}	t_{010}	t_{005}
1	3.078	6.314	12.706	31.821	63.657
2	1.886	2.920	4.303	6.965	9.925
3	1.638	2.353	3.182	4.541	5.841
4	1.533	2.132	2.776	3.747	4.604
5	1.476	2.015	2.571	3.365	4.032
6	1.440	1.943	2.447	3.143	3.707
7	1.415	1.895	2.365	2.998	3.499
8	1.397	1.860	2.306	2.896	3.355
9	1.383	1.833	2.262	2.821	3.250
10	1.372	1.812	2.228	2.764	3.169
11	1.363	1.796	2.201	2.718	3.106
12	1.356	1.782	2.179	2.681	3.055
13	1.350	1.771	2.160	2.650	3.012
14	1.345	1.761	2.145	2.624	2.977
15	1.341	1.753	2.131	2.602	2.947
16	1.337	1.746	2.120	2.583	2.921
17	1.333	1.740	2.110	2.567	2.898
18	1.330	1.734	2.101	2.552	2.878
19	1.328	1.729	2.093	2.539	2.861
20	1.325	1.725	2.086	2.528	2.845
21	1.323	1.721	2.080	2.518	2.831
22	1.321	1.717	2.074	2.508	2.819
23	1.319	1.714	2.069	2.500	2.807
24	1.318	1.711	2.064	2.492	2.797
25	1.316	1.708	2.060	2.485	2.787
26	1.315	1.706	2.056	2.479	2.779
27	1.314	1.703	2.052	2.473	2.771
28	1.313	1.701	2.048	2.467	2.763
29	1.311	1.699	2.045	2.462	2.756
30	1.310	1.697	2.042	2.457	2.750
35	1.306	1.690	2.030	2.438	2.724
40	1.303	1.684	2.021	2.423	2.704
45	1.301	1.679	2.014	2.412	2.690
50	1.299	1.676	2.009	2.403	2.678
55	1.297	1.673	2.004	2.396	2.668
60	1.296	1.671	2.000	2.390	2.660
65	1.295	1.669	1.997	2.385	2.654
70	1.294	1.667	1.994	2.381	2.648
75	1.293	1.665	1.992	2.377	2.643
80	1.292	1.664	1.990	2.374	2.639
85	1.292	1.663	1.988	2.371	2.635
90	1.291	1.662	1.987	2.368	2.632
95	1.291	1.661	1.985	2.366	2.629
100	1.290	1.660	1.984	2.364	2.626
110	1.289	1.659	1.982	2.361	2.621
120	1.289	1.658	1.980	2.358	2.617
130	1.288	1.657	1.978	2.355	2.614
140	1.288	1.656	1.977	2.353	2.611
150	1.287	1.655	1.976	2.351	2.609
160	1.287	1.654	1.975	2.350	2.607
170	1.287	1.654	1.974	2.348	2.605
180	1.286	1.653	1.973	2.347	2.603
190	1.286	1.653	1.973	2.346	2.602
200	1.286	1.653	1.972	2.345	2.601
∞	1.282	1.645	1.960	2.326	2.576

TABLE 5 Critical Values of the χ^2 Distribution



Degrees of Freedom	$\chi^2_{.995}$	$\chi^2_{.990}$	$\chi^2_{.975}$	$\chi^2_{.950}$	$\chi^2_{.900}$	$\chi^2_{.800}$	$\chi^2_{.700}$	$\chi^2_{.500}$	$\chi^2_{.205}$	$\chi^2_{.100}$	$\chi^2_{.050}$
1	0.000039	0.000157	0.000982	0.00393	0.0158	2.71	3.84	5.02	6.63	7.88	
2	0.0100	0.0201	0.0506	0.103	0.211	4.61	5.99	7.38	9.21	10.6	
3	0.072	0.115	0.216	0.352	0.584	6.25	7.81	9.35	11.3	12.8	
4	0.207	0.297	0.484	0.711	1.06	7.78	9.49	11.1	13.3	14.9	
5	0.412	0.554	0.831	1.15	1.61	9.24	11.1	12.8	15.1	16.7	
6	0.676	0.872	1.24	1.64	2.20	10.6	12.6	14.4	16.8	18.5	
7	0.989	1.24	1.69	2.17	2.83	12.0	14.1	16.0	18.5	20.3	
8	1.34	1.65	2.18	2.73	3.49	13.4	15.5	17.5	20.1	22.0	
9	1.73	2.09	2.70	3.33	4.17	14.7	16.9	19.0	21.7	23.6	
10	2.16	2.56	3.25	3.94	4.87	16.0	18.3	20.5	23.2	25.2	
11	2.60	3.05	3.82	4.57	5.58	17.3	19.7	21.9	24.7	26.8	
12	3.07	3.57	4.40	5.23	6.30	18.5	21.0	23.3	26.2	28.3	
13	3.57	4.11	5.01	5.89	7.04	19.8	22.4	24.7	27.7	29.8	
14	4.07	4.66	5.63	6.57	7.79	21.1	23.7	26.1	29.1	31.3	
15	4.60	5.23	6.26	7.26	8.55	22.3	25.0	27.5	30.6	32.8	
16	5.14	5.81	6.91	7.96	9.31	23.5	26.3	28.8	32.0	34.3	
17	5.70	6.41	7.56	8.67	10.1	24.8	27.6	30.2	33.4	35.7	
18	6.26	7.01	8.23	9.39	10.9	26.0	28.9	31.5	34.8	37.2	
19	6.84	7.63	8.91	10.1	11.7	27.2	30.1	32.9	36.2	38.6	
20	7.43	8.26	9.59	10.9	12.4	28.4	31.4	34.2	37.6	40.0	
21	8.03	8.90	10.3	11.6	13.2	29.6	32.7	35.5	38.9	41.4	
22	8.64	9.54	11.0	12.3	14.0	30.8	33.9	36.8	40.3	42.8	
23	9.26	10.2	11.7	13.1	14.8	32.0	35.2	38.1	41.6	44.2	
24	9.89	10.9	12.4	13.8	15.7	33.2	36.4	39.4	43.0	45.6	
25	10.5	11.5	13.1	14.6	16.5	34.4	37.7	40.6	44.3	46.9	
26	11.2	12.2	13.8	15.4	17.3	35.6	38.9	41.9	45.6	48.3	
27	11.8	12.9	14.6	16.2	18.1	36.7	40.1	43.2	47.0	49.6	
28	12.5	13.6	15.3	16.9	18.9	37.9	41.3	44.5	48.3	51.0	
29	13.1	14.3	16.0	17.7	19.8	39.1	42.6	45.7	49.6	52.3	
30	13.8	15.0	16.8	18.5	20.6	40.3	43.8	47.0	50.9	53.7	
40	20.7	22.2	24.4	26.5	29.1	51.8	55.8	59.3	63.7	66.8	
50	28.0	29.7	32.4	34.8	37.7	63.2	67.5	71.4	76.2	79.5	
60	35.5	37.5	40.5	43.2	46.5	74.4	79.1	83.3	88.4	92.0	
70	43.3	45.4	48.8	51.7	55.3	85.5	90.5	95.0	100	104	
80	51.2	53.5	57.2	60.4	64.3	96.6	102	107	112	116	
90	59.2	61.8	65.6	69.1	73.3	108	113	118	124	128	
100	67.3	70.1	74.2	77.9	82.4	118	124	130	136	140	

TABLE 6(a) Critical Values of the F-Distribution: A = .05



		NUMERATOR DEGREES OF FREEDOM																			
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
DENOMINATOR DEGREES OF FREEDOM	∞	1.61	1.99	2.16	2.25	2.30	2.34	2.37	2.39	2.41	2.42	2.43	2.44	2.45	2.45	2.46	2.46	2.47	2.47	2.48	2.48
	1	18.5	19.0	19.2	19.2	19.3	19.3	19.4	19.4	19.4	19.4	19.4	19.4	19.4	19.4	19.4	19.4	19.4	19.4	19.4	19.4
2	10.1	9.55	9.28	9.12	9.01	8.94	8.89	8.85	8.81	8.79	8.79	8.76	8.74	8.73	8.71	8.70	8.69	8.68	8.67	8.67	8.66
3	7.71	6.94	6.59	6.39	6.26	6.16	6.09	6.04	6.00	5.96	5.94	5.91	5.89	5.87	5.84	5.83	5.82	5.81	5.81	5.80	5.80
4	6.61	5.79	5.41	5.19	5.05	4.95	4.88	4.82	4.77	4.74	4.70	4.68	4.66	4.64	4.62	4.60	4.59	4.58	4.57	4.56	4.56
5	5.99	5.14	4.76	4.53	4.39	4.28	4.21	4.15	4.10	4.06	4.03	4.00	3.98	3.96	3.94	3.92	3.91	3.90	3.88	3.87	3.87
6	5.59	4.74	4.35	4.12	3.97	3.87	3.79	3.73	3.68	3.64	3.60	3.57	3.55	3.53	3.51	3.49	3.48	3.47	3.46	3.44	3.44
7	5.32	4.46	4.07	3.84	3.69	3.58	3.50	3.44	3.39	3.35	3.31	3.28	3.26	3.24	3.22	3.20	3.19	3.17	3.16	3.15	3.15
8	5.12	4.26	3.86	3.63	3.48	3.37	3.29	3.23	3.18	3.14	3.10	3.07	3.05	3.03	3.01	2.99	2.97	2.96	2.95	2.94	2.94
9	4.96	4.10	3.71	3.48	3.33	3.22	3.14	3.07	3.02	2.98	2.94	2.91	2.89	2.86	2.85	2.83	2.81	2.80	2.79	2.77	2.77
10	4.84	3.98	3.59	3.36	3.20	3.09	3.01	2.95	2.90	2.85	2.82	2.79	2.76	2.74	2.72	2.70	2.69	2.67	2.66	2.65	2.65
11	4.75	3.89	3.49	3.26	3.11	3.00	2.91	2.85	2.80	2.75	2.72	2.69	2.66	2.64	2.62	2.60	2.58	2.57	2.56	2.55	2.54
12	4.67	3.81	3.41	3.18	3.03	2.92	2.83	2.77	2.71	2.67	2.63	2.60	2.57	2.55	2.53	2.51	2.48	2.47	2.46	2.45	2.44
13	4.60	3.74	3.34	3.11	2.96	2.85	2.76	2.70	2.65	2.60	2.57	2.53	2.50	2.48	2.46	2.44	2.42	2.41	2.40	2.39	2.38
14	4.54	3.68	3.28	3.05	2.90	2.79	2.71	2.64	2.59	2.54	2.51	2.48	2.45	2.42	2.40	2.38	2.37	2.35	2.34	2.33	2.33
15	4.49	3.63	3.23	3.00	2.85	2.74	2.66	2.59	2.54	2.49	2.46	2.42	2.40	2.37	2.35	2.33	2.32	2.30	2.29	2.28	2.28
16	4.45	3.59	3.20	2.96	2.81	2.70	2.61	2.55	2.49	2.45	2.41	2.38	2.35	2.33	2.31	2.29	2.27	2.26	2.24	2.23	2.23
17	4.41	3.55	3.16	2.93	2.77	2.66	2.58	2.51	2.46	2.41	2.37	2.34	2.31	2.29	2.27	2.25	2.23	2.22	2.20	2.19	2.19
18	4.38	3.52	3.13	2.90	2.74	2.63	2.54	2.48	2.42	2.38	2.34	2.31	2.28	2.26	2.23	2.21	2.19	2.18	2.17	2.16	2.16
19	4.35	3.49	3.10	2.87	2.71	2.60	2.51	2.45	2.39	2.35	2.31	2.28	2.25	2.22	2.20	2.18	2.17	2.15	2.14	2.12	2.12
20	4.30	3.44	3.05	2.82	2.66	2.55	2.46	2.40	2.34	2.30	2.26	2.23	2.20	2.17	2.15	2.13	2.11	2.10	2.08	2.07	2.07
22	4.26	3.40	3.01	2.78	2.62	2.51	2.42	2.36	2.30	2.25	2.22	2.18	2.15	2.12	2.09	2.07	2.05	2.03	2.02	2.00	2.00
24	4.23	3.37	2.98	2.74	2.59	2.47	2.39	2.32	2.27	2.22	2.18	2.15	2.12	2.09	2.06	2.04	2.02	2.00	1.99	1.97	1.96
26	4.20	3.34	2.95	2.71	2.56	2.45	2.36	2.29	2.24	2.19	2.15	2.12	2.09	2.06	2.04	2.01	1.99	1.98	1.96	1.95	1.94
28	4.17	3.32	2.92	2.69	2.53	2.42	2.33	2.27	2.21	2.16	2.13	2.09	2.06	2.04	2.01	1.99	1.97	1.96	1.94	1.93	1.92
30	4.12	3.27	2.87	2.64	2.49	2.37	2.29	2.22	2.16	2.11	2.07	2.04	2.01	1.99	1.96	1.94	1.92	1.91	1.89	1.88	1.88
35	4.06	3.20	2.81	2.58	2.42	2.31	2.22	2.15	2.10	2.05	2.01	1.97	1.94	1.92	1.89	1.87	1.85	1.84	1.82	1.81	1.81
40	4.03	3.18	2.79	2.56	2.40	2.29	2.20	2.13	2.07	2.02	1.99	1.95	1.92	1.89	1.87	1.85	1.83	1.81	1.80	1.78	1.78
50	4.00	3.15	2.76	2.53	2.37	2.25	2.17	2.10	2.04	1.99	1.95	1.92	1.89	1.86	1.84	1.82	1.80	1.78	1.76	1.75	1.75
60	3.98	3.13	2.74	2.50	2.35	2.23	2.14	2.07	2.02	1.97	1.93	1.89	1.86	1.84	1.81	1.79	1.77	1.75	1.74	1.72	1.72
80	3.96	3.11	2.72	2.49	2.33	2.21	2.13	2.06	2.00	1.95	1.91	1.88	1.84	1.82	1.79	1.77	1.75	1.73	1.72	1.70	1.70
90	3.95	3.10	2.71	2.47	2.32	2.20	2.11	2.04	1.99	1.94	1.90	1.86	1.83	1.80	1.78	1.76	1.74	1.72	1.71	1.69	1.68
100	3.94	3.09	2.70	2.46	2.31	2.19	2.10	2.03	1.97	1.93	1.89	1.85	1.82	1.79	1.77	1.75	1.73	1.71	1.69	1.67	1.66
120	3.92	3.07	2.68	2.45	2.29	2.18	2.09	2.02	1.96	1.91	1.87	1.83	1.80	1.78	1.75	1.73	1.71	1.69	1.67	1.65	1.65
140	3.91	3.06	2.67	2.44	2.28	2.16	2.08	2.01	1.95	1.90	1.86	1.82	1.79	1.76	1.74	1.72	1.70	1.68	1.66	1.64	1.64
160	3.90	3.05	2.66	2.43	2.27	2.16	2.07	2.00	1.94	1.89	1.85	1.81	1.78	1.75	1.73	1.71	1.69	1.67	1.65	1.63	1.63
180	3.89	3.05	2.65	2.42	2.26	2.15	2.06	1.99	1.93	1.88	1.84	1.81	1.77	1.75	1.72	1.70	1.68	1.66	1.64	1.62	1.62
200	3.89	3.04	2.65	2.42	2.26	2.14	2.06	1.98	1.93	1.88	1.84	1.81	1.77	1.75	1.72	1.70	1.68	1.66	1.64	1.62	1.62
∞	3.84	3.00	2.61	2.37	2.21	2.10	2.01	1.94	1.88	1.83	1.79	1.75	1.72	1.69	1.67	1.64	1.62	1.60	1.59	1.57	1.57